# **Product Information**



# tesa® Aluminium tape

### BNR 56221, 56223

tesa® Aluminium tape is a special self-adhesive plumbers tape perfectly suited to quickly repair any metal surface, such as heating appliences or gutters.

#### Features

- · Suitable for protecting, covering, insulating and repairing
- May also be used for roof and gutter repairs
- Temperature resistant from -40°C to +140°C
- Water-, oil- and grease-resistant
- Age-resistant
- · High adhesive strength

### **Product Properties**

•	Applicationfield	Home, Garden, Garage,	•	Reusable	no
		Roof, Car	•	Abrasion resistant	no
•	Writable	no	•	Refillable	no
•	Spare part service	no	•	Waterproof	yes
•	UV-resistant	yes	•	Batteries required	no
•	Water resistant	yes	•	Batteries included	no
٠	Humidity resistant	yes	•	Certified according to	DIN 4102 part 1 class A2
•	Oil- and grease-resistant	yes			and B1
•	Suitable surfaces	Glass, Metal, Steel			

#### Technical Data

•	Area of use	In- and Outdoor	•	Tensile strength	15 N/cm
•	Material	Aluminium	•	Total thickness	100 μm
•	Residue-free removable	no	•	Temperature resistant	yes
•	Adhesive strength	High adhesion	•	Temperature resistance	-40 °C
•	Type of adhesive	acrylic		from	
•	Backing material	aluminium foil	•	Temperature resistance	140 °C
				up to	
			•	Tensibility	5 %

## **Product Information**



# tesa® Aluminium tape

#### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.

